

For Agricultural Commodities, Materials, Structures, and Machinery

When agricultural commodities or agricultural facilities sustain damage as the result of a disastrous event, local review teams are expected to inspect and review the extent of damage and determine the economic loss as a result of the disaster. Information gathered by local teams can be shared through the USDA Farm Service Agency, Cooperative Extension, local Emergency Management Agency, or other interested entities. Most agriculture disasters are weather related, such as flooding, drought, wildfire, hail, freezing, and wind. Plant and animal diseases can cause significant damage and economic loss. Agricultural producers/growers can also incur economic losses as the result of accidental or intentional human actions such as misapplied pesticides, contaminated feed or water, or the intentional introduction of a bio-agent.

The **Ag Damage Assessment Form** provides a standardized method for individuals who are interested in determining the extent of damages to agricultural commodities and structures.

Local, third-party, independent damage assessment may be done by representatives of Farm Service Agency; APHIS; Cooperative Extension; the local Emergency Management Agency; other local, state, federal agencies; or by insurance company representatives. Regardless of the intended use of agricultural disaster loss information, the approach used by this **Ag Damage Assessment Form** can provide rapid and accurate information to the assessment process of determining agricultural damages and economic losses.

The *Ag Damage Assessment Form* provides spaces to record details needed to determine the exact location and the scale of agricultural damage and loss. *The Assessment Form* includes sections for agricultural losses, including: animal and crop/plant commodities, structures, stored materials, and machinery and equipment. If losses occur for agricultural items not listed, "other" spaces are provided to add/describe additional losses.

The *Ag Damage Assessment* process may require additional resources to determine current local values and economic losses for disaster damages. Assessors may access local or regional crop and livestock market reports, ag suppliers and dealers, building contractors, state departments of agriculture, and the local FSA or Extension office to determine accurate evaluations and current values. In all situations, documentation including pictures and receipts, and listing of the source used to determine values, is critical to ensure credibility. Assessors are tasked with exercising their best judgment to determine the extent of damage, and to document loss and value based on experience and credible sources.





Authors / Partners

GENERAL

Dave Filson, Extension State Program Leader–Animal Sciences, Emergency Preparedness Coordinator, The Pennsylvania State University, dfilson@psu.edu Shirley Gryczuk, Program Development Specialist, Cooperative Extension, The Pennsylvania State University

PROJECT PARTNERS

Tom Ball Center for Governmental Training and Technology **Bost Extension Center** Mississippi State

Thomas M. "Tommy" Bass Livestock Environment Associate Specialist Montana State University Extension

Stephen C. Brown, Ph.D. **District Agriculture Agent** Mat-Su/Copper River Districts **Cooperative Extension Service** University of Alaska Fairbanks

REVIEWERS:

Kent W. Buckley, MCEM Deputy Director, Mississippi Emergency Management Agency Past President Mississippi Civil Defense Management Emergency Management Association

Dr. Marvin Hamann, DVM Hamann Veterinary Services Chairman, Animal Health Committee—Colorado Cattlemen's Association Pueblo West, CO

Michael R. Bush, Ph.D. WA State University/ Yakima County Interim County Director **Extension Entomologist**

Scott Cotton, CPRM Extension Educator—(Livestock, Range and Youth) Unit Leader—Dawes County Office EDEN Livestock Delegate, SCAP Team Member Co- Chair UNL AgroSecurity/ BioSecurity Work Group Vice Chairman, Nebraska Grazing Lands Coalition University of Nebraska, Lincoln Extension

Elizabeth Parker, DVM Chief Veterinarian National Cattleman's Beef Association

David G. Pyburn, DVM Swine Health Programs USDA APHIS VS

Dawn M. Scott Farm Program Specialist USDA-FSA-Washington State **Rebecca Csutoras Program Chief** USDA, Pennsylvania State Farm Service Agency

Mike Hunter Field Crops Extension Educator Agriculture and Natural Resources **Program Leader** Cornell Cooperative Extension of Jefferson County

Marilyn M. Simunich, DVM, Dipl. ACVPM Director, Animal Health Laboratory **Division of Animal Industries** Idaho State Dept. of Agriculture

Patrick Webb, DVM **Director of Swine Health Programs** National Pork Board

Mongi Zekri, Ph.D. Multi-County Citrus Extension Agent IV University of Florida Institute of Food and Agricultural Sciences

http://extension.psu.edu/agdamage

PROJECT SUPPORTED BY:

PENNSTATE



Cooperative Extension College of Agricultural Sciences

Penn State College of Agricultural Sciences research and extension programs are funded in part by Pennsylvania counties, the Commonwealth of Pennsylvania, and the U.S. Department of Agriculture.

Where trade names appear, no discrimination is intended, and no endorsement by Penn State Cooperative Extension is implied.



United States Department of Agriculture

National Institute of Food and Agriculture

This material is based upon work supported by the United States Department of Agriculture (USDA) – National Institute of Food and Agriculture (NIFA) under Award No. 2010-41210-21712.

Any opinions, findings, and conclusions or recommendations expressed in this publication are those of the authors and do not necessarily reflect the views of USDA - NIFA.

In partnership with land-grant universities, and other public and private organizations, NIFA provides the focus to advance a global system of extramural research, extension, and higher education in the food and agricultural sciences.

Ag Damage	*required field		
	*Date of assessment:		
	*Completed by, Name:		
	Assessment agency:		
		ADDRESS:	
	*Contact information:	PHONE:	EMAIL:
	EMERGENCY NEEDS	No YES (describe)	
1. DISASTER EVENT			
*Name Or Type (describe):			*Beginning Date: *Ending Date:
AREA AFFECTED:	Isolated D Wid	lespread 🔲 Entire County	PHOTOS submitted illustrating losses:
If loss is being claimed due to breach of biosecurity, exposure to disease, or	Describe:		1
contamination:	Potential effect:		
*NAME (Last, first, middle) or NAME OF BU			Other site according to action
Permanent residence information	Location of site asse		Other site assessment location
*STREET	DIRECTIONS TO DAMAGE mention visible landmarks	SITE (provide specific miles and):	if damage occurred during transit or where the producer-owned commodity is stored.
*STREET *CITY STATE ZIP			if damage occurred during transit or where
*CITY STATE ZIP			if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op.
	be mention visible landmarks		if damage occurred during transit or where the producer-owned commodity is stored.
*CITY STATE ZIP *COUNTY GPS location in Decimal Degrees – Datum must	be recounty):	if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op.
CITY STATE ZIP COUNTY GPS location in Decimal Degrees – Datum must set to WGS 84 (example – 61.34664) lat (°N) (example – 149.09333) long (°N)	be GPS location in Decimal Dec):	if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op.
CUTY STATE ZIP COUNTY GPS location in Decimal Degrees – Datum must set to WGS 84 (example – 61.34664) lat (°N)	be V) Mention visible landmarks restreet res):	if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op.
CITY STATE ZIP COUNTY GPS location in Decimal Degrees – Datum must set to WGS 84 (example – 61.34664) lat (°N) (example – 149.09333) long (°N)	be GPS location in Decimal Dec):	if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op.
CITY STATE ZIP COUNTY GPS location in Decimal Degrees – Datum must set to WGS 84 (example – 61.34664) lat (°N) (example – 149.09333) long (°N Farm ID/FSA #:	be *CUTY GPS location in Decimal De Farm ID/FSA #:):	if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op.
CITY STATE ZIP *COUNTY *COUNTY *COUNTY *COUNTY GPS location in Decimal Degrees – Datum must set to WGS 84	mention visible landmarks *STREET be *CITY GPS location in Decimal De M) Farm ID/FSA #: Premises ID (optional)):	if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op. LOCATION STREET CITY GPS location in Decimal Degrees – Datum must be set to WGS 84
CITY STATE ZIP *COUNTY *COUNTY GPS location in Decimal Degrees – Datum must set to WGS 84 Iat (°N) (example – 61.34664) lat (°N) (example – 149.09333) long (°N) (example – 149.09333) long (°N) Farm ID/FSA #: Premises ID (optional) #: *Telephone:	mention visible landmarks *STREET be *CITY GPS location in Decimal De Farm ID/FSA #: Premises ID (optional *Telephone (alternate):	if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op.
CITY STATE ZIP *COUNTY *COUNTY *COUNTY GPS location in Decimal Degrees – Datum must set to WGS 84	mention visible landmarks *STREET be *CITY GPS location in Decimal De M) Farm ID/FSA #: Premises ID (optional *Telephone (alternate FAX number):	if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op. LOCATION
CITY STATE ZIP *COUNTY GPS location in Decimal Degrees – Datum must set to WGS 84	mention visible landmarks street be county GPS location in Decimal De Farm ID/FSA #: Premises ID (optiona *Telephone (alternate FAX number Cell phone iy that the statements herei	STATE ZIP grees - Datum must be set to WGS 84	if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op. LOCATION
CITY STATE ZIP *COUNTY SGPS location in Decimal Degrees – Datum must set to WGS 84 (example – 61.34664) lat (°N) (example – 149.09333) long (°N) (example – 149.09333) long (°N) Farm ID/FSA #: Iong (°N) Fremises ID (optional) #: Farm ID/FSA #: Iong (°N) *Telephone: Iong (PN) Iong (PN) FAX number: Iong (PN) Iong (PN) Email: Iong (PN) Iong (PN) 3. ASSURANCE By signing below, I certif	mention visible landmarks street be County GPS location in Decimal De Farm ID/FSA #: Farm ID/FSA #: Farm ID/FSA #: Premises ID (optional *Telephone (alternate FAX number Cell phone ign that the statements herei ements or claims may subject	STATE ZIP grees - Datum must be set to WGS 84	if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op. LOCATION
CITY STATE ZIP *COUNTY GPS location in Decimal Degrees – Datum must set to WGS 84 (example – 61.34664) lat (°N) (example – 149.09333) long (N) (example – 149.09333) long (°N) (example – 149.09333) long (N) (example – 149.09333) (example – 149.09333) long (N) (example – 149.09333) long (N) (example – 149.09333) (mention visible landmarks street be County GPS location in Decimal De Farm ID/FSA #: Farm ID/FSA #: Farm ID/FSA #: Premises ID (optional *Telephone (alternate FAX number Cell phone ign that the statements herei ements or claims may subject	STATE ZIP grees - Datum must be set to WGS 84	if damage occurred during transit or where the producer-owned commodity is stored. Ex: local grain elevator, co-op. LOCATION

Pennsylvania counties, the Commonwealth of Pennsylvania, and the U.S. Department of Agriculture. Where trade names appear, no discrimination is intended, and no endorsement by Penn State Cooperative Extension is implied.

ons, findings, and conclusions or recommendations expressed in this publication are those of the a t necessarily reflect the views of USDA – NIFA.

In partnership with land-grant universities, and other public and private organizations, NIFA provides the focus to advance a global system of extramural research, extension, and higher education in the food and agricultural sciences.



ANIMAL LOSSES

KIND	ТҮРЕ	WEIGHT RANGE	¹ NO. DEAD	NO. INJURED	NO. MISSING	² NO. DISEASED If clinical list symptoms	³\$ LOSS
Alpacas							
Aquaculture							
Beef	Adult	Bulls					
		Bred Cows					
		Cull Cows					
	Non-adult	Bred Heifers					
		Heifers—Less than 400 lbs					
		Heifers—400 to 799 lbs					
		Heifers—800 lbs or more					
		Steers—Less than 400 lbs					
		Steers—400 to 799 lbs					
		Steers—800 lbs or more					
Honey Bees	Bee Colony						
	Honey						
Buffalo/	Adult	Bulls					
Beefalo		Cows					
	Non-adult	Less than 400 lbs					
		400 to 799 pounds					
		800 pounds or more					
Chickens	Broilers/Pullets						
	Broilers/Pullets (Reg	gular Size)					
	Chicks			İ			
	Layers						
	Layers/Roasters			1			
	Pullets/Cornish Hens (Small Size) Roasters			İ			
	Eggs						
Dairy Adult Bulls		Bulls					
		Dry Cows					
		Close-up Cow					
		Bred Milking Cows					
		Open Milking Cows					
		Cull Cows					
	Non-adult	Bulls—Less than 400 lbs					
		Bulls—400 to 799 lbs					
		Bulls—800 lbs or more					
		Heifers—Bred					
		Heifers—Springer					
		Heifers—Less than 400 lbs					
		Heifers—400 to 799 lbs					
		Heifers—800 lbs or more					
	Milk						
Deer							
Ducks	Ducklings						
L dens	Ducks						





ANIMAL LOSSES

4. ANIMA	L LOSSES-OW	NER (continued)					
KIND	ТҮРЕ	WEIGHT RANGE	¹ NO. DEAD	NO. INJURED	NO. MISSING	² NO. DISEASED If clinical list symptoms	³\$ LOSS
Elk							
Emus							
Equine	Production Horses						
	Work Horses						
	Performance Horses						
	Pleasure Horses						
Geese	Goose						
	Gosling						
Goats	Bucks						
	Nannies						
	Slaughter Goats/Kids						
Llamas							
Reindeer							
Sheep	Ewes						
	Lambs						
	Rams						
Swine	Piglets	10 lbs and under					
	Feeder Pigs 10 to 40 lbs						
	Market (non-breeding Pigs) 40 to 300 lbs					
	Breeding Swine (inclue	le gilts for breeding)					
Turkeys	Poults						
	Toms/Fryers/Roasters						
Other Animals (identify)						
		Sub Total					
¹ Please descri	be method of carcass	disposal (buried, incine	erated, cor	nposted, et	tc):		
		ptoms of infectious dis	ease		.,		
	ological (# affected:						
	iratory (# affected:						
	rointestinal (# affecte	d:)					
	r (describe):						
³ Source of cur	rent values:						

DUPLICATE AS NEEDED



ANIMAL LOSSES

KIND	ТҮРЕ	WEIGHT RANGE	¹ NO. DEAD	NO.	NO. MISSING	² NO. DISEASED	³ \$ LOSS
Chickens	Broilers/Pullets						
	Broilers/Pullets (R	egular Size)					
	Chicks						
	Layers						
	Layers/Roasters						
	Pullets/Cornish He	ens (Small Size)					
	Roasters						
	Eggs						
Ducks	Ducklings						
Geese	Goose						
Swine	Piglets	10 pounds and under					
	Feeder Pigs	10 to 40 pounds					
	Market (non- breeding) Pigs	40 to 3000 pounds					
	Breeding Swine (ir	nclude gilts for breeding)					
Turkeys	Toms/Fryers/ Roasters						
Other Animal	s (identify)						
		Sub Total					
¹ Please desc	ribe method of car	cass disposal (buried, incine	rated, cor	nposted, et	tc):		
² If yes, pleas	e describe signs or	symptoms of infectious dise	ease				
	Neurological (# affe	cted:)					
	Respiratory (# affect	ted:)					

DUPLICATE AS NEEDED



CROP LOSSES

5. CROP LOSSES	ES											CROP LOSSES
TYPE AND VARIETY INTENDED USE	TOTAL ACRES	DAM- AGED ACRES	EXPECTED YIELD UNITS PER ACRE	% VIELD LOSS	% QUALITY LOSS	\$ VALUE PER UNIT	\$ LOSS THIS CROP	WHAT WILL BE DONE WITH DAMAGED ACRES: ACRES: ACRES: SALVAGE, DESTROYED, ABANDONED	\$ LOST \$ LOST INVESTMENT: FROM ESTABLISHMENT, PER ACRE VARIABLE COSTS	\$ LOSS - LIFE OF STAND: TREES, VINES, PERENNIALS (SPECIFY)	TOTAL LOSS	SOURCE OF CURRENT VALUES:
Example: Coundquaim	300	50	180	100		\$5.50/bw	\$49,500.	Abandoned	\$5.60/ac = \$28,000		\$77,500-	Unív. of Illínoís Agronomy Facts
	NOTES: t_{00}	-late to rep	NOTES: too late to replant - crop too small to salvage	small to sa	ulvage							
	NOTES:											
1.												
	NOTES:										-	
2.												
	NOTES:											
3.												
	NOTES:						c				c	
4.												
	NOTES:											
5.												
	NOTES:											
6.												
	NOTES:											
7.												
	NOTES:										c	
8												
	NOTES:											
									Sub Total -	Sub Total - CROP LOSSES		
							DUPLICATE AS NEEDED	S NEEDED				Ē

ADAF 12-22-2011 http://extension.psu.edu/agdamage

ß



										S	FR	С Г	STRUCTURES AND FACILITIES LOSSES
6. STRUCTURES AN	STRUCTURES AND FACILITIES LOSSES												
NAME	SIZE/CAPACITY/FUNCTION	AGE	MOOD	BLOCK/BRICK		ЕАВТН/DIRT	ЕАВRIC	отнек	AFFECTED	миов	801AM	резтвочер	BRIEF DAMAGE NARRATIVE ESTIMATE \$ (INDICATE REPAIR OR REPLACEMENT)
Example:			×	×	$\left - \right $	$\left - \right $	\square				×		80% of metal roof damaged or missing, 20% of trusses damaged, posts
Hay Barn	20 x 30ft, storage	8 yrs	NOTE	TES: pole bann, metal roof	e ban	r, met	alroo	f				-	and poles intact
			ESTIN	ESTIMATE SOURCE: Owner	SOUE	RCE: C	wner					_	ESTIMATE \$: <i>\$</i> 3,200 <i>герви́г</i> -
T				Х								×	5/6 towers collapsed, pipe segments torn and bent, motors submerged
Exumple. Center Pivot	1000 ft long	2 yrs	NOTE	S: Zún	nmatu	c System	r, new ,	NOTES: Zinnunatic System, new drop noggles	rzzles				or 10 days
			ESTIN	ESTIMATE SOURCE: Dealer	SOUE	KCE: 1)ealer						ESTIMATE \$: \$38,000 replacement
1.					—								
			NOTES:	:S:									
			ESTIN	ESTIMATE SOURCE:	SOUR	се:						<u> </u>	ESTIMATE \$:
2.													
			NOTES:	:S:									
			ESTIN	ESTIMATE SOURCE:	SOUF	CE:						_	ESTIMATE \$:
3.													
			NOTES:	:S:									
			ESTIN	ESTIMATE SOURCE:	SOUF	се:							ESTIMATE \$:
4.													
			NOTES:	:S:									
			ESTIN	ESTIMATE SOURCE:	SOUF	CE:							ESTIMATE \$:
5.													
			NOTES:	:S:									
			ESTIN	ESTIMATE SOURCE:	SOUF	СE:						_	ESTIMATE \$:
Damage Categories	-												Total (\$) this page: Total (\$) Sect. 6 pages:
Affected (repairable, safe, f Minor (repairable, possibly	Affected (repairable, safe, functional/marginally functional) Minor (repairable, possibly unsafe, marginally functional)												
Major (repairable, unsate, not functional) Destroyed (non-repairable, unsafe, not functional)	not functional) unsafe, not functional)												

DUPLICATE AS NEEDED

9

ADAF 12-22-2011 http://extension.psu.edu/agdamage

										S	TR	n	STRUCTURES AND FACILITIES LOSSES
6. STRUCTURES AND F	STRUCTURES AND FACILITIES LOSSES (continued)	inued)											
NAME	SIZE/CAPACITY/FUNCTION	AGE	MOOD	JATEEL/METAL	вгоск/виск	соискете ЕАRTH/DIRT	FARIC	ОТНЕК	AFFECTED	MINOR	ROLAM	резтвочер	BRIEF DAMAGE NARRATIVE ESTIMATE \$ (INDICATE REPAIR OR REPLACEMENT)
6.		I.											
			NOTES:	ES:									
			ESTII	ESTIMATE SOURCE:	sou	RCE:							ESTIMATE \$:
7.				-									
			NOTES:	ES:									
			ESTII	ESTIMATE SOURCE:	sou	RCE:							ESTIMATE \$:
8.						-							
			NOTES:	ES:									
			ESTII	ESTIMATE SOURCE:	sou	RCE:							ESTIMATE \$:
.6				<u> </u>									
			NOTES:	ES:									
			ESTII	ESTIMATE SOURCE:	sou	RCE:							ESTIMATE \$:
10.													
			NOTES:	ES:									
			ESTII	ESTIMATE SOURCE:	sou	RCE:							ESTIMATE \$:
11.													
			NOTES:	ES:									
			ESTII	ESTIMATE SOURCE:	sou	RCE:							ESTIMATE \$:
12.													
			NOTES:	ES:									
			ESTII	ESTIMATE SOURCE:	sou	RCE:							ESTIMATE \$:
Damage Categories													Total (\$) this page: Total (\$) Sect. 6 pages:
Affected (repairable, functional/marginally functional) Minor (repairable, possibly unsafe, not functional) Major (repairable, unsafe, not functional)	/marginally functional) afe, not functional) unctional)												
Destroyed (non-repairable, unsafe, not functional)	afe, not functional)												

DUPLICATE AS NEEDED

ADAF 12-22-2011 http://extension.psu.edu/agdamage



STORED MATERIALS LOSSES

7. STORED MATERIA	LS					
STORED MATER	RIALS	AMOUNT (UNIT)	% DRY MATTER	VALUE*** PER UNIT	HOW STORED – SHED, SILO, BUNKER, BIN, BAG	TOTAL LOSS
Stored Grain						
Soybeans						
Corn	Dry					
	HM Ear Corn					
	HM Shelled Corn					
Oats						
Wheat						
Barley						
Rye						
Other (describe)						
Manufactured Feed (describe)		· · · · · · · · · · · · · · · · · · ·				
Forages						
Dry Hay						
Haylage						
Corn Silage						
Whole Plant Grain Silage						
Mulch Hay						
Other (describe)						
Feed Commodities/Ingredients						
Vitamins/Minerals						
Premix						
Salt						
Other (describe)						
Other (describe)						
Other (describe)						
Stored Fruit (describe)						
Stored Vegetables (describe)						
					Sub Total	

DUPLICATE AS NEEDED



STORED MATERIALS LOSSES

7. STORED MATERIALS (continued))				
STORED MATERIALS	AMOUNT (UNIT)	% DRY MAT- TER	VALUE*** PER UNIT	HOW STORED – SHED, SILO, BUNKER, BIN, BAG	TOTAL LOSS
Stored Crops (describe): ex: Tobacco, Cotton, Peanuts					
Animal Medications					
Pesticides			i i i i i i i i i i i i i i i i i i i		
Fertilizer			ŕ		
				<u> </u>	
Fuel	1			r	
Gasoline					
Diesel					
Propane					
Stored Seed for Planting (describe)	1			r	
Animal Bedding					
Straw					
Sawdust / wood chips					
Sand					
Other (describe)					
Economically significant by-products (describe): ex. Dr	ied Manure, Compos	st, Fish Bi-Product	S		
				Sub Total	
***Source of current values:					



X

MACHINERY AND EQUIPMENT LOSSES



8. MACHINERY AND EQUIPMENT		
VEHICLES MAKE / MODEL / YEAR	VIN #	VALUE *** (INDICATE REPAIR OR REPLACEMENT)
TRACTORS MAKE / MODEL / YEAR	IDENTIFICATION #	
TRACTORS MARLY MODELY TEAR	IDENTIFICATION #	
FIELD MACHINERY MAKE / MODEL / YEAR	IDENTIFICATION #	
EQUIPMENT	IDENTIFICATION #	
TOOLS AND SUPPLIES	IDENTIFICATION #	
	IDENTIFICATION #	
MISCELLANEOUS	IDENTIFICATION #	
	SUB TOTAL	
*** Source of current values:		

